




| Profil | SPZ | SPA | SPB |
|----------------------------|----------|-----------|-----------|
| pitch width bw | 8.5 | 11 | 14 |
| c | 2 | 28 | 35 |
| f ± 0.2 | 8 | 10 | 12.5 |
| e ± 0.1 | 12 | 15 | 19 |
| f -0/+0.3 | 11 | 14 | 18 |
| α = 34° ±0.5° for dw | 50 - 80 | 63 - 118 | 90 - 190 |
| top groove width b1 ± 0.05 | 9.72 | 12.71 | 16.14 |
| α = 38° ±0.5° for dw | 85 - 400 | 125 - 400 | 200 - 400 |
| top groove width b1 ± 0.05 | 9.88 | 12.93 | 16.41 |



GJL-250

Phosphated



Type 1

Type 5


1 x SPZ

$b_2 = 16 \text{ mm}$

Nabenscheibe / Full hub pulley

| Wirk. Ø pitch diameter dw | Max. Bohrung bore Ø | Nabe hub Ø | Nabenlänge length of hub L | Type | S | T | U | Gewicht weight kg |
|------------------------------|------------------------|---------------|-------------------------------|------|-----|----|-----|----------------------|
| 50 | 22 | 35 | 28 | 5 ● | - | - | - | 0,3 |
| 56 | 22 | 35 | 28 | 5 ● | - | - | - | 0,4 |
| 63 | 28 | 45 | 28 | 5 ● | - | - | - | 0,5 |
| 71 | 28 | 45 | 28 | 5 ● | - | - | - | 0,6 |
| 75 | 28 | 45 | 28 | 5 ● | - | - | - | 0,6 |
| 80 | 28 | 45 | 28 | 5 ● | - | - | - | 0,7 |
| 85 | 28 | 45 | 28 | 5 ● | - | - | - | 0,8 |
| 90 | 28 | 45 | 28 | 5 ● | - | - | - | 0,8 |
| 95 | 30 | 50 | 28 | 1 ○ | 4,5 | 7 | 4,5 | 1,0 |
| 100 | 30 | 50 | 28 | 1 ○ | 4,5 | 7 | 4,5 | 1,1 |
| 106 | 30 | 50 | 28 | 1 ○ | 4,5 | 7 | 4,5 | 1,1 |
| 112 | 35 | 55 | 28 | 1 ○ | 4,5 | 7 | 4,5 | 1,1 |
| 118 | 35 | 55 | 28 | 1 ○ | 4,5 | 7 | 4,5 | 1,1 |
| 125 | 35 | 55 | 28 | 1 ○ | 4,5 | 7 | 4,5 | 1,3 |
| 132 | 35 | 55 | 28 | 1 ○ | 4,5 | 7 | 4,5 | 1,4 |
| 140 | 35 | 55 | 28 | 1 ○ | 4,5 | 7 | 4,5 | 1,4 |
| 150 | 35 | 55 | 28 | 1 ○ | 4,5 | 7 | 4,5 | 1,6 |
| 160 | 35 | 55 | 32 | 1 ○ | 4,5 | 7 | 4,5 | 1,8 |
| 180 | 35 | 55 | 32 | 1 ○ | 4,5 | 7 | 4,5 | 2,2 |
| 200 | 42 | 70 | 32 | 1 ○ | 4,5 | 7 | 4,5 | 2,6 |
| 224 | 45 | 75 | 35 | 1 x | 3,5 | 9 | 3,5 | 3,7 |
| 250 | 45 | 75 | 35 | 1 x | 3,5 | 9 | 3,5 | 4,5 |
| 280 | 45 | 75 | 35 | 1 x | 3,5 | 9 | 3,5 | 5,3 |
| 315 | 45 | 75 | 35 | 1 x | 3 | 10 | 3 | 6,1 |
| 355 | 45 | 75 | 35 | 1 x | 3 | 10 | 3 | 7,5 |
| 400 | 45 | 75 | 35 | 1 x | 3 | 10 | 3 | 7,1 |

- = Vollscheibe / solid pulley
- = Bodenscheibe (mit oder ohne Spiegel) / plate pulley (with or without holes)
- x = Armscheibe / arm pulley



Type 1

Type 5


2 x SPZ

b₂ = 28 mm

Nabenscheibe / Full hub pulley

| Wirk. Ø pitch diameter dw | Max. Bohrung bore Ø | Nabe hub Ø | Nabenlänge length of hub L | Type | S | T | U | Gewicht weight kg |
|---------------------------------------|------------------------------|------------------|----------------------------------|------|-----|----|-----|-------------------------|
| 50 | 20 | 35 | 35 | 5 ● | - | - | - | 0,4 |
| 56 | 25 | 40 | 35 | 5 ● | - | - | - | 0,5 |
| 63 | 25 | 40 | 35 | 5 ● | - | - | - | 0,6 |
| 71 | 25 | 40 | 35 | 5 ● | - | - | - | 0,8 |
| 75 | 25 | 40 | 35 | 5 ● | - | - | - | 0,9 |
| 80 | 32 | 55 | 35 | 5 ● | - | - | - | 1,0 |
| 85 | 32 | 55 | 35 | 5 ● | - | - | - | 1,2 |
| 90 | 32 | 55 | 35 | 5 ● | - | - | - | 1,3 |
| 95 | 32 | 55 | 35 | 5 ● | - | - | - | 1,4 |
| 100 | 32 | 55 | 35 | 5 ● | - | - | - | 1,6 |
| 106 | 32 | 55 | 35 | 5 ○ | - | - | - | 1,8 |
| 112 | 32 | 55 | 35 | 1 ○ | 9,5 | 9 | 9,5 | 1,6 |
| 118 | 32 | 55 | 35 | 1 ○ | 9,5 | 9 | 9,5 | 1,6 |
| 125 | 32 | 55 | 35 | 1 ○ | 9,5 | 9 | 9,5 | 1,7 |
| 132 | 38 | 55 | 35 | 1 ○ | 9,5 | 9 | 9,5 | 1,9 |
| 140 | 40 | 65 | 40 | 1 ○ | 9,5 | 9 | 9,5 | 2,3 |
| 150 | 40 | 65 | 40 | 1 ○ | 9,5 | 9 | 9,5 | 2,5 |
| 160 | 40 | 65 | 40 | 1 ○ | 9,5 | 9 | 9,5 | 2,7 |
| 180 | 40 | 65 | 40 | 1 ○ | 9,5 | 9 | 9,5 | 3,1 |
| 200 | 40 | 65 | 40 | 1 ○ | 9,5 | 9 | 9,5 | 3,6 |
| 224 | 45 | 75 | 40 | 1 ○ | 8,5 | 11 | 8,5 | 5,1 |
| 250 | 45 | 75 | 40 | 1 x | 8,5 | 11 | 8,5 | 5,0 |
| 280 | 48 | 75 | 45 | 1 x | 8,5 | 11 | 8,5 | 6,3 |
| 315 | 48 | 75 | 45 | 1 x | 7,5 | 13 | 7,5 | 9,2 |
| 355 | 50 | 80 | 45 | 1 x | 7,5 | 13 | 7,5 | 10,9 |
| 400 | 50 | 80 | 50 | 1 x | 7,5 | 13 | 7,5 | 12,6 |

- = Vollscheibe / solid pulley
- = Bodenscheibe (mit oder ohne Spiegel) / plate pulley (with or without holes)
- x = Armscheibe / arm pulley



Type 1

Type 3


3 x SPZ

b₂ = 40mm

Nabenscheibe / Full hub pulley

| Wirk. Ø pitch diameter dw | Max. Bohrung bore Ø | Nabe hub | | Nabenlänge length of hub L | Type | S | T | U | Gewicht weight kg |
|---------------------------------------|------------------------------|-------------|----|----------------------------------|------|------|----|------|-------------------------|
| | | Ø | L | | | | | | |
| 50 | 20 | - | 40 | 40 | 3 ● | - | - | - | 0,5 |
| 56 | 25 | - | 40 | 40 | 3 ● | - | - | - | 0,6 |
| 63 | 25 | - | 40 | 40 | 3 ● | - | - | - | 0,8 |
| 67 | 32 | - | 40 | 40 | 3 ● | - | - | - | 0,9 |
| 71 | 32 | - | 40 | 40 | 3 ● | - | - | - | 1,0 |
| 75 | 32 | - | 40 | 40 | 3 ● | - | - | - | 1,1 |
| 80 | 38 | - | 40 | 40 | 3 ● | - | - | - | 1,3 |
| 85 | 38 | - | 40 | 40 | 3 ● | - | - | - | 1,4 |
| 90 | 38 | - | 40 | 40 | 3 ● | - | - | - | 1,7 |
| 95 | 38 | - | 40 | 40 | 3 ● | - | - | - | 1,9 |
| 100 | 38 | - | 40 | 40 | 3 ● | - | - | - | 2,1 |
| 106 | 38 | - | 40 | 40 | 3 ● | - | - | - | 2,3 |
| 112 | 38 | - | 40 | 40 | 3 ● | - | - | - | 2,6 |
| 118 | 38 | - | 40 | 40 | 3 ● | - | - | - | 2,9 |
| 125 | 38 | - | 40 | 40 | 3 ● | - | - | - | 3,3 |
| 132 | 38 | - | 40 | 40 | 3 ● | - | - | - | 3,7 |
| 140 | 42 | 70 | 40 | 40 | 1 ○ | 14,5 | 11 | 14,5 | 2,7 |
| 150 | 42 | 70 | 40 | 40 | 1 ○ | 14,5 | 11 | 14,5 | 3,2 |
| 160 | 45 | 75 | 45 | 45 | 1 ○ | 14,5 | 11 | 14,5 | 3,6 |
| 170 | 45 | 75 | 45 | 45 | 1 ○ | 14,5 | 11 | 14,5 | 4,0 |
| 180 | 45 | 75 | 45 | 45 | 1 ○ | 14,5 | 11 | 14,5 | 4,4 |
| 200 | 50 | 80 | 45 | 45 | 1 ○ | 14,5 | 11 | 14,5 | 4,8 |
| 224 | 50 | 80 | 45 | 45 | 1 ○ | 14,0 | 12 | 14,0 | 5,3 |
| 250 | 50 | 80 | 45 | 45 | 1 x | 14,0 | 12 | 14,0 | 5,7 |
| 280 | 50 | 80 | 50 | 50 | 1 x | 14,0 | 12 | 14,0 | 8,8 |
| 315 | 50 | 80 | 50 | 50 | 1 x | 13,5 | 13 | 13,5 | 10,0 |
| 355 | 55 | 90 | 50 | 50 | 1 x | 13,5 | 13 | 13,5 | 10,1 |
| 400 | 55 | 90 | 50 | 50 | 1 x | 13,5 | 13 | 13,5 | 14,3 |

- = Vollscheibe / solid pulley
- = Bodenscheibe (mit oder ohne Spiegel) / plate pulley (with or without holes)
- x = Armscheibe / arm pulley



Type 1

Type 5


1 x SPA

b₂ = 20 mm

Nabenscheibe / Full hub pulley

| Wirk. Ø pitch diameter dw | Max. Bohrung bore Ø | Nabe hub length of hub | | Type | S | T | U | Gewicht weight kg |
|---------------------------------------|------------------------------|------------------------------|----|------|-----|----|-----|-------------------------|
| | | Ø | L | | | | | |
| 50 | 20 | 35 | 35 | 5 ● | - | - | - | 0,4 |
| 56 | 20 | 35 | 35 | 5 ● | - | - | - | 0,4 |
| 63 | 25 | 41 | 35 | 5 ● | - | - | - | 0,5 |
| 71 | 25 | 41 | 35 | 5 ● | - | - | - | 0,7 |
| 75 | 25 | 41 | 35 | 5 ● | - | - | - | 0,9 |
| 80 | 35 | 55 | 35 | 5 ● | - | - | - | 0,9 |
| 85 | 35 | 55 | 35 | 5 ● | - | - | - | 1,0 |
| 90 | 35 | 55 | 35 | 5 ● | - | - | - | 1,1 |
| 95 | 35 | 55 | 35 | 5 ● | - | - | - | 1,2 |
| 100 | 35 | 55 | 35 | 5 ● | - | - | - | 1,3 |
| 106 | 35 | 55 | 35 | 1 ○ | 6,5 | 7 | 6,5 | 1,3 |
| 112 | 35 | 55 | 35 | 1 ○ | 6,5 | 7 | 6,5 | 1,4 |
| 118 | 35 | 55 | 35 | 1 ○ | 6,5 | 7 | 6,5 | 1,4 |
| 125 | 35 | 55 | 35 | 1 ○ | 6,5 | 7 | 6,5 | 1,5 |
| 132 | 35 | 55 | 35 | 1 ○ | 6,5 | 7 | 6,5 | 1,6 |
| 140 | 35 | 55 | 35 | 1 ○ | 6,5 | 7 | 6,5 | 1,8 |
| 150 | 35 | 55 | 40 | 1 ○ | 6,5 | 7 | 6,5 | 2,0 |
| 160 | 38 | 60 | 40 | 1 ○ | 6,5 | 7 | 6,5 | 2,3 |
| 170 | 38 | 60 | 40 | 1 ○ | 6,5 | 7 | 6,5 | 2,5 |
| 180 | 40 | 65 | 40 | 1 ○ | 6,5 | 7 | 6,5 | 2,8 |
| 190 | 40 | 65 | 40 | 1 ○ | 6,5 | 7 | 6,5 | 3,0 |
| 200 | 40 | 65 | 40 | 1 ○ | 6,5 | 7 | 6,5 | 2,9 |
| 212 | 40 | 65 | 40 | 1 ○ | 6,5 | 7 | 6,5 | 3,2 |
| 224 | 40 | 65 | 40 | 1 ○ | 5,5 | 9 | 5,5 | 3,5 |
| 236 | 40 | 65 | 50 | 1 ○ | 5,5 | 9 | 5,5 | 4,5 |
| 250 | 45 | 75 | 50 | 1 ○ | 5,5 | 9 | 5,5 | 5,2 |
| 280 | 45 | 75 | 50 | 1 ○ | 5,5 | 9 | 5,5 | 5,8 |
| 300 | 45 | 75 | 45 | 1 x | 5 | 10 | 5 | 6,4 |
| 315 | 50 | 80 | 50 | 1 x | 5 | 10 | 5 | 6,9 |
| 355 | 50 | 80 | 50 | 1 x | 5 | 10 | 5 | 8,0 |
| 400 | 55 | 90 | 50 | 1 x | 5 | 10 | 5 | 8,5 |
| 450 | 60 | 100 | 50 | 1 x | 5 | 10 | 5 | 13,7 |
| 500 | 60 | 100 | 50 | 1 x | 5 | 10 | 5 | 16,6 |

- = Vollscheibe / solid pulley
- = Bodenscheibe (mit oder ohne Spiegel) / plate pulley (with or without holes)
- x = Armscheibe / arm pulley




2 x SPA

b₂ = 35 mm

Nabenscheibe / Full hub pulley

| Wirk. Ø pitch diameter | Max. Bohrung bore Ø | Nabe | | Type | S | T | U | Gewicht weight kg |
|---------------------------------|------------------------------|----------|----------------------------------|------|------|----|------|-------------------------|
| | | hub Ø | Nabenlänge length of hub L | | | | | |
| 50 | 24 | - | - | 3 ● | - | - | - | 0,5 |
| 56 | 24 | - | - | 3 ● | - | - | - | 0,6 |
| 63 | 28 | 45 | 40 | 5 ● | - | - | - | 0,7 |
| 71 | 30 | 50 | 45 | 5 ● | - | - | - | 1,0 |
| 75 | 35 | 55 | 45 | 5 ● | - | - | - | 1,1 |
| 80 | 35 | 55 | 45 | 5 ● | - | - | - | 1,3 |
| 85 | 35 | 55 | 45 | 5 ● | - | - | - | 1,4 |
| 90 | 35 | 55 | 45 | 5 ● | - | - | - | 1,6 |
| 95 | 35 | 55 | 45 | 5 ● | - | - | - | 1,7 |
| 100 | 35 | 55 | 45 | 5 ● | - | - | - | 1,9 |
| 106 | 35 | 55 | 45 | 5 ● | - | - | - | 2,1 |
| 112 | 40 | 65 | 45 | 1 ○ | 13 | 9 | 13 | 2,1 |
| 118 | 40 | 65 | 45 | 1 ○ | 13,5 | 8 | 13,5 | 2,2 |
| 125 | 40 | 65 | 45 | 1 ○ | 13 | 9 | 13 | 2,4 |
| 132 | 40 | 65 | 45 | 1 ○ | 13 | 9 | 13 | 2,6 |
| 140 | 40 | 65 | 45 | 1 ○ | 13 | 9 | 13 | 2,8 |
| 150 | 40 | 65 | 45 | 1 ○ | 13 | 9 | 13 | 2,9 |
| 160 | 40 | 65 | 45 | 1 ○ | 13 | 9 | 13 | 3,1 |
| 170 | 45 | 75 | 45 | 1 ○ | 13 | 9 | 13 | 3,7 |
| 180 | 45 | 75 | 50 | 1 ○ | 13 | 9 | 13 | 4,1 |
| 190 | 45 | 75 | 50 | 1 ○ | 13 | 9 | 13 | 4,3 |
| 200 | 45 | 75 | 50 | 1 ○ | 13 | 9 | 13 | 4,7 |
| 212 | 45 | 75 | 50 | 1 ○ | 13 | 9 | 13 | 4,9 |
| 224 | 45 | 75 | 50 | 1 x | 12 | 11 | 12 | 5,0 |
| 236 | 45 | 75 | 50 | 1 x | 12 | 11 | 12 | 6,0 |
| 250 | 50 | 80 | 50 | 1 x | 12 | 11 | 12 | 7,0 |
| 280 | 50 | 80 | 50 | 1 x | 12 | 11 | 12 | 6,7 |
| 300 | 50 | 80 | 50 | 1 x | 12 | 11 | 12 | 7,9 |
| 315 | 50 | 80 | 50 | 1 x | 12 | 11 | 12 | 8,5 |
| 355 | 50 | 80 | 60 | 1 x | 12 | 11 | 12 | 10,2 |
| 400 | 55 | 90 | 60 | 1 x | 12 | 11 | 12 | 11,7 |
| 450 | 60 | 100 | 60 | 1 x | 10 | 15 | 10 | 17,2 |
| 500 | 60 | 100 | 60 | 1 x | 10 | 15 | 10 | 20,0 |
| 560 | 60 | 100 | 60 | 1 x | 10 | 15 | 10 | 21,8 |
| 630 | 65 | 100 | 80 | 1 x | 10 | 15 | 10 | 25,7 |

- = Vollscheibe / solid pulley
- = Bodenscheibe (mit oder ohne Spiegel) / plate pulley (with or without holes)
- x = Armscheibe / arm pulley



Type 1

Type 3


3 x SPA

b₂ = 50mm

Nabenscheibe / Full hub pulley

| Wirk. Ø pitch diameter dw | Max. Bohrung bore Ø | Nabe hub | | Nabenlänge length of hub L | Type | S | T | U | Gewicht weight kg |
|---------------------------------------|------------------------------|-------------|----|----------------------------------|------|----|------|------|-------------------------|
| | | Ø | L | | | | | | |
| 63 | 25 | - | 50 | 3 ● | - | - | - | 0,9 | |
| 71 | 32 | - | 50 | 3 ● | - | - | - | 1,2 | |
| 75 | 32 | - | 50 | 3 ● | - | - | - | 1,5 | |
| 80 | 32 | - | 50 | 3 ● | - | - | - | 1,5 | |
| 85 | 38 | - | 50 | 3 ● | - | - | - | 1,7 | |
| 90 | 38 | - | 50 | 3 ● | - | - | - | 1,9 | |
| 95 | 38 | - | 50 | 3 ● | - | - | - | 2,2 | |
| 100 | 38 | - | 50 | 3 ● | - | - | - | 2,4 | |
| 106 | 38 | - | 50 | 3 ● | - | - | - | 2,7 | |
| 112 | 38 | - | 50 | 3 ● | - | - | - | 3,1 | |
| 118 | 42 | - | 50 | 3 ● | - | - | - | 3,5 | |
| 125 | 42 | 70 | 50 | 1 ○ | 19,5 | 11 | 19,5 | 3,2 | |
| 132 | 45 | 75 | 50 | 1 ○ | 19,5 | 11 | 19,5 | 3,4 | |
| 140 | 45 | 75 | 50 | 1 ○ | 19,5 | 11 | 19,5 | 3,7 | |
| 150 | 45 | 75 | 50 | 1 ○ | 19,5 | 11 | 19,5 | 4,0 | |
| 160 | 45 | 75 | 50 | 1 ○ | 20 | 10 | 20 | 4,2 | |
| 170 | 50 | 80 | 50 | 1 ○ | 19,5 | 11 | 19,5 | 4,7 | |
| 180 | 50 | 80 | 50 | 1 ○ | 19,5 | 11 | 19,5 | 5,1 | |
| 190 | 50 | 80 | 50 | 1 ○ | 19,5 | 11 | 19,5 | 5,4 | |
| 200 | 50 | 80 | 50 | 1 ○ | 19,5 | 11 | 19,5 | 5,7 | |
| 224 | 55 | 90 | 50 | 1 ○ | 19 | 12 | 19 | 7,3 | |
| 236 | 55 | 90 | 50 | 1 ○ | 19 | 12 | 19 | 7,1 | |
| 250 | 55 | 90 | 50 | 1 ○ | 19 | 12 | 19 | 7,9 | |
| 280 | 55 | 90 | 50 | 1 x | 19 | 12 | 19 | 9,6 | |
| 300 | 60 | 100 | 60 | 1 x | 19,5 | 11 | 19,5 | 10,1 | |
| 315 | 60 | 100 | 60 | 1 x | 18,5 | 13 | 18,5 | 10,6 | |
| 355 | 60 | 100 | 60 | 1 x | 18,5 | 13 | 18,5 | 14,7 | |
| 400 | 65 | 105 | 65 | 1 x | 18,5 | 13 | 18,5 | 15,3 | |
| 450 | 65 | 105 | 65 | 1 x | 17,5 | 15 | 17,5 | 16,8 | |
| 500 | 65 | 105 | 65 | 1 x | 17,5 | 15 | 17,5 | 20,6 | |
| 560 | 65 | 105 | 65 | 1 x | 17,5 | 15 | 17,5 | 25,8 | |
| 630 | 65 | 105 | 65 | 1 x | 17,5 | 15 | 17,5 | 30,0 | |

- = Vollscheibe / solid pulley
- = Bodenscheibe (mit oder ohne Spiegel) / plate pulley (with or without holes)
- x = Armscheibe / arm pulley




4 x SPA

$b_2 = 65 \text{ mm}$


Nabenscheibe / Full hub pulley

| Wirk. Ø pitch diameter dw | Max. Bohrung bore Ø | Nabe hub Ø | Nabellänge length of hub L | Type | S | T | U | Gewicht weight kg |
|---------------------------------------|------------------------------|------------------|----------------------------------|------|------|----|------|-------------------------|
| | | | | | | | | |
| 63 | 30 | - | 65 | 3 ● | - | - | - | 1,2 |
| 71 | 30 | - | 65 | 3 ● | - | - | - | 1,5 |
| 75 | 30 | - | 65 | 3 ● | - | - | - | 1,7 |
| 80 | 35 | - | 65 | 3 ● | - | - | - | 1,9 |
| 85 | 35 | - | 65 | 3 ● | - | - | - | 2,2 |
| 90 | 42 | - | 65 | 3 ● | - | - | - | 2,5 |
| 95 | 42 | - | 50 | 3 ● | - | - | - | 2,8 |
| 100 | 42 | - | 50 | 4 ● | - | - | 15 | 2,8 |
| 106 | 42 | - | 50 | 4 ● | - | - | 15 | 3,1 |
| 112 | 42 | - | 50 | 4 ● | - | - | 15 | 3,4 |
| 118 | 42 | - | 50 | 4 ● | - | - | 15 | 3,9 |
| 125 | 42 | - | 50 | 4 ● | - | - | 15 | 4,4 |
| 132 | 42 | - | 50 | 4 ● | - | - | 15 | 5,0 |
| 140 | 42 | - | 50 | 4 ● | - | - | 15 | 5,6 |
| 150 | 45 | 75 | 50 | 2 o | 25 | 15 | 25 | 4,8 |
| 160 | 50 | 80 | 50 | 2 o | 26,5 | 13 | 26,5 | 5,2 |
| 170 | 50 | 80 | 60 | 2 o | 26,5 | 13 | 26,5 | 5,3 |
| 180 | 50 | 80 | 60 | 2 o | 26,5 | 13 | 26,5 | 6,2 |
| 190 | 50 | 80 | 60 | 2 o | 26,5 | 13 | 26,5 | 6,6 |
| 200 | 60 | 100 | 60 | 2 o | 26,5 | 13 | 26,5 | 8,1 |
| 224 | 60 | 100 | 60 | 2 o | 26 | 13 | 26 | 9,1 |
| 236 | 60 | 100 | 60 | 2 o | 26 | 13 | 26 | 9,6 |
| 250 | 60 | 100 | 60 | 2 o | 26 | 13 | 26 | 9,4 |
| 280 | 60 | 100 | 60 | 2 x | 26 | 13 | 26 | 11,6 |
| 300 | 60 | 100 | 60 | 2 x | 25,5 | 14 | 25,5 | 13,7 |
| 315 | 60 | 100 | 60 | 2 x | 25,5 | 14 | 25,5 | 14,4 |
| 355 | 65 | 105 | 60 | 2 x | 25,5 | 14 | 25,5 | 15,7 |
| 400 | 65 | 105 | 65 | 2 x | 25,5 | 14 | 25,5 | 19,2 |
| 450 | 70 | 110 | 70 | 2 x | 25,5 | 14 | 25,5 | 23,6 |
| 500 | 70 | 110 | 70 | 2 x | 24,5 | 16 | 24,5 | 26,7 |
| 560 | 70 | 110 | 70 | 2 x | 24,5 | 16 | 24,5 | 30,4 |
| 630 | 70 | 110 | 70 | 2 x | 24,5 | 16 | 24,5 | 37,7 |


- = Vollscheibe / solid pulley
- o = Bodenscheibe (mit oder ohne Spiegel) / plate pulley (with or without holes)
- x = Armscheibe / arm pulley



Type 2



Type 3



Type 4


5 x SPA

$b_2 = 80 \text{ mm}$

Nabenscheibe / Full hub pulley

| Wirk. Ø pitch diameter dw | Max. Bohrung bore Ø | Nabe hub Ø | Nabenslänge length of hub L | | | | Gewicht weight kg | |
|---------------------------------------|------------------------------|------------------|-----------------------------------|------|------|----|-------------------------|------|
| | | | | Type | S | T | | U |
| 80 | 35 | - | 80 | 3 ● | - | - | - | 2,4 |
| 85 | 35 | - | 80 | 3 ● | - | - | - | 2,7 |
| 90 | 42 | - | 80 | 3 ● | - | - | - | 3,0 |
| 95 | 42 | - | 80 | 4 ● | - | - | 30 | 3,5 |
| 100 | 42 | - | 50 | 4 ● | - | - | 30 | 3,1 |
| 106 | 42 | - | 50 | 4 ● | - | - | 30 | 3,4 |
| 112 | 42 | - | 50 | 4 ● | - | - | 30 | 3,8 |
| 118 | 48 | - | 50 | 4 ● | - | - | 30 | 4,2 |
| 125 | 48 | - | 50 | 4 ● | - | - | 30 | 4,9 |
| 132 | 48 | - | 50 | 4 ● | - | - | 30 | 5,3 |
| 140 | 48 | - | 50 | 4 ● | - | - | 30 | 6,1 |
| 150 | 50 | 80 | 50 | 2 o | 33,5 | 13 | 33,5 | 5,3 |
| 160 | 50 | 80 | 50 | 2 o | 33,5 | 13 | 33,5 | 5,8 |
| 170 | 50 | 80 | 50 | 2 o | 33,5 | 13 | 33, | 6,6 |
| 180 | 55 | 90 | 65 | 2 o | 33,5 | 13 | 33,5 | 7,5 |
| 190 | 55 | 90 | 65 | 2 o | 32,5 | 15 | 32,5 | 8,0 |
| 200 | 60 | 100 | 65 | 2 o | 32,5 | 15 | 32,5 | 9,3 |
| 224 | 60 | 100 | 65 | 2 o | 32,5 | 15 | 32,5 | 10,0 |
| 236 | 60 | 100 | 65 | 2 o | 32,5 | 15 | 32,5 | 10,7 |
| 250 | 65 | 105 | 65 | 2 x | 32,5 | 15 | 32,5 | 11,0 |
| 280 | 65 | 105 | 65 | 2 x | 32,5 | 15 | 32,5 | 13,8 |
| 300 | 65 | 105 | 70 | 2 x | 32,5 | 15 | 32,5 | 14,5 |
| 315 | 65 | 105 | 70 | 2 x | 32,5 | 15 | 32,5 | 15,2 |
| 355 | 70 | 110 | 70 | 2 x | 32,5 | 15 | 32,5 | 16,3 |
| 400 | 70 | 110 | 70 | 2 x | 32,5 | 15 | 32,5 | 17,2 |
| 450 | 70 | 110 | 70 | 2 x | 32,5 | 15 | 32,5 | 21,8 |
| 500 | 75 | 120 | 70 | 2 x | 32,5 | 15 | 32,5 | 29,1 |
| 560 | 75 | 120 | 70 | 2 x | 32,5 | 15 | 32,5 | 32,7 |
| 630 | 75 | 120 | 75 | 2 x | 32,5 | 15 | 32,5 | 37,2 |

- = Vollscheibe / solid pulley
- o = Bodenscheibe (mit oder ohne Spiegel) / plate pulley (with or without holes)
- x = Armscheibe / arm pulley



Type 1

Type 5


1 x SPB

b₂ = 25 mm

Nabenscheibe / Full hub pulley

| Wirk. Ø pitch diameter dw | Max. Bohrung bore Ø | Nabe hub Ø | Nabenlänge length of hub L | | | | Gewicht weight kg | |
|---------------------------------------|------------------------------|------------------|----------------------------------|------|-----|----|-------------------------|------|
| | | | | Type | S | T | | U |
| 71 | 28 | 45 | 40 | 5 ● | - | - | - | 0,9 |
| 80 | 28 | 55 | 35 | 5 ● | - | - | - | 1,0 |
| 90 | 35 | 55 | 35 | 5 ● | - | - | - | 1,2 |
| 95 | 35 | 55 | 35 | 5 ● | - | - | - | 1,3 |
| 100 | 35 | 55 | 35 | 5 ● | - | - | - | 1,4 |
| 106 | 35 | 55 | 35 | 5 ● | - | - | - | 1,6 |
| 112 | 35 | 55 | 35 | 5 ● | - | - | - | 1,8 |
| 118 | 35 | 55 | 35 | 1 o | 9,5 | 6 | 9,5 | 1,6 |
| 125 | 35 | 55 | 35 | 1 o | 9 | 7 | 9 | 1,7 |
| 132 | 35 | 55 | 35 | 1 o | 9 | 7 | 9 | 1,8 |
| 140 | 35 | 55 | 35 | 1 o | 9,5 | 6 | 9,5 | 1,9 |
| 150 | 35 | 55 | 40 | 1 o | 9 | 6 | 9 | 2,2 |
| 160 | 40 | 65 | 40 | 1 o | 9 | 6 | 9 | 2,6 |
| 170 | 40 | 65 | 40 | 1 o | 9 | 6 | 9 | 2,8 |
| 180 | 40 | 65 | 40 | 1 o | 9 | 6 | 9 | 3,1 |
| 190 | 40 | 65 | 40 | 1 o | 9 | 6 | 9 | 3,2 |
| 200 | 40 | 65 | 40 | 1 o | 9 | 6 | 9 | 3,3 |
| 212 | 40 | 65 | 40 | 1 o | 8 | 9 | 8 | 3,9 |
| 224 | 45 | 75 | 45 | 1 o | 8 | 9 | 8 | 4,5 |
| 236 | 45 | 75 | 45 | 1 o | 8 | 9 | 8 | 5,2 |
| 250 | 45 | 75 | 45 | 1 o | 8 | 9 | 8 | 5,3 |
| 280 | 50 | 80 | 50 | 1 x | 8 | 9 | 8 | 6,3 |
| 300 | 50 | 80 | 50 | 1 x | 8 | 9 | 8 | 7,3 |
| 315 | 50 | 80 | 50 | 1 x | 7,5 | 10 | 7,5 | 7,8 |
| 355 | 50 | 80 | 50 | 1 x | 7,5 | 10 | 7,5 | 9,9 |
| 400 | 50 | 80 | 55 | 1 x | 7,5 | 10 | 7,5 | 12,2 |
| 450 | 50 | 80 | 55 | 1 x | 7,5 | 10 | 7,5 | 17,0 |
| 500 | 50 | 80 | 55 | 1 x | 7,5 | 10 | 7,5 | 19,9 |

- = Vollscheibe / solid pulley
- o = Bodenscheibe (mit oder ohne Spiegel) / plate pulley (with or without holes)
- x = Armscheibe / arm pulley



Type 1

Type 5


2 x SPB

$b_2 = 44 \text{ mm}$

Nabenscheibe / Full hub pulley

| Wirk. Ø pitch diameter dw | Max. Bohrung bore Ø | Nabe | | | | | | Gewicht weight kg |
|---------------------------------------|------------------------------|----------|----------------------------------|------|------|----|------|-------------------------|
| | | hub Ø | Nabenlänge length of hub L | Type | S | T | U | |
| 80 | 28 | - | 60 | 5 ● | - | - | - | 1,6 |
| 90 | 38 | 60 | 60 | 5 ● | - | - | - | 2,0 |
| 95 | 38 | 60 | 60 | 5 ● | - | - | - | 2,2 |
| 100 | 40 | 65 | 60 | 5 ● | - | - | - | 2,3 |
| 106 | 40 | 65 | 60 | 5 ● | - | - | - | 2,8 |
| 112 | 40 | 65 | 55 | 5 ● | - | - | - | 2,9 |
| 118 | 40 | 65 | 55 | 5 ● | - | - | - | 3,3 |
| 125 | 40 | 65 | 55 | 5 ● | - | - | - | 4,0 |
| 132 | 40 | 65 | 55 | 1 ○ | 17 | 10 | 17 | 3,6 |
| 140 | 40 | 65 | 55 | 1 ○ | 17 | 10 | 17 | 3,8 |
| 150 | 40 | 65 | 55 | 1 ○ | 17 | 10 | 17 | 4,1 |
| 160 | 45 | 75 | 55 | 1 ○ | 17 | 10 | 17 | 4,8 |
| 170 | 45 | 75 | 55 | 1 ○ | 17 | 10 | 17 | 5,1 |
| 180 | 45 | 75 | 50 | 1 ○ | 17 | 10 | 17 | 5,3 |
| 190 | 50 | 80 | 50 | 1 ○ | 17 | 10 | 17 | 5,8 |
| 200 | 50 | 80 | 50 | 1 ○ | 17 | 10 | 17 | 5,9 |
| 212 | 50 | 80 | 50 | 1 ○ | 17 | 10 | 17 | 6,3 |
| 224 | 50 | 80 | 50 | 1 ○ | 16 | 12 | 16 | 6,7 |
| 236 | 55 | 90 | 50 | 1 ○ | 16 | 12 | 16 | 7,0 |
| 250 | 55 | 90 | 50 | 1 ○ | 16 | 12 | 16 | 8,4 |
| 280 | 55 | 90 | 50 | 1 x | 16 | 12 | 16 | 9,5 |
| 300 | 55 | 90 | 50 | 1 x | 16 | 12 | 16 | 10,5 |
| 315 | 60 | 100 | 60 | 1 x | 15,5 | 13 | 15,5 | 12,3 |
| 355 | 60 | 100 | 60 | 1 x | 15,5 | 13 | 15,5 | 14,3 |
| 400 | 65 | 105 | 60 | 1 x | 15,5 | 13 | 15,5 | 17,7 |
| 450 | 65 | 105 | 60 | 1 x | 15 | 14 | 15 | 21,0 |
| 500 | 70 | 115 | 65 | 1 x | 15 | 14 | 15 | 26,0 |
| 560 | 70 | 115 | 75 | 1 x | 15 | 14 | 15 | 30,2 |
| 630 | 70 | 115 | 75 | 1 x | 15 | 14 | 15 | 32,4 |

- = Vollscheibe / solid pulley
- = Bodenscheibe (mit oder ohne Spiegel) / plate pulley (with or without holes)
- x = Armscheibe / arm pulley



Type 1

Type 2

Type 4


3 x SPB

$b_2 = 63 \text{ mm}$

Nabenscheibe / Full hub pulley

| Wirk. Ø pitch diameter dw | Max. Bohrung bore Ø | Nabe hub | | Nabenlänge length of hub L | Type | S | T | U | Gewicht weight kg |
|---------------------------------------|------------------------------|-------------|----|----------------------------------|------|------|----|------|-------------------------|
| | | Ø | L | | | | | | |
| 80 | 38 | - | 55 | 55 | 4 ● | - | - | 8 | 2,0 |
| 90 | 38 | - | 55 | 55 | 4 ● | - | - | 8 | 2,2 |
| 100 | 38 | - | 55 | 55 | 4 ● | - | - | 8 | 2,8 |
| 106 | 38 | - | 55 | 55 | 4 ● | - | - | 8 | 3,2 |
| 112 | 38 | - | 50 | 50 | 4 ● | - | - | 8 | 3,4 |
| 118 | 42 | - | 50 | 50 | 4 ● | - | - | 13 | 3,8 |
| 125 | 42 | - | 50 | 50 | 4 ● | - | - | 13 | 4,2 |
| 132 | 42 | - | 50 | 50 | 4 ● | - | - | 13 | 4,7 |
| 140 | 42 | - | 50 | 50 | 4 ● | - | - | 13 | 5,3 |
| 150 | 45 | 75 | 50 | 50 | 2 o | 26 | 11 | 26 | 4,8 |
| 160 | 50 | 80 | 50 | 50 | 2 o | 26 | 11 | 26 | 5,1 |
| 170 | 50 | 80 | 50 | 50 | 2 o | 26 | 11 | 26 | 5,5 |
| 180 | 50 | 80 | 50 | 50 | 2 o | 26 | 11 | 26 | 5,8 |
| 190 | 55 | 90 | 50 | 50 | 2 o | 26 | 11 | 26 | 6,7 |
| 200 | 55 | 90 | 50 | 50 | 2 o | 25,5 | 12 | 25,5 | 7,2 |
| 212 | 55 | 90 | 50 | 50 | 2 o | 25,5 | 12 | 25,5 | 7,8 |
| 224 | 55 | 90 | 50 | 50 | 2 o | 25,5 | 12 | 25,5 | 7,9 |
| 236 | 55 | 90 | 50 | 50 | 2 o | 25,5 | 12 | 25,5 | 8,4 |
| 250 | 60 | 100 | 60 | 60 | 2 o | 25,5 | 12 | 25,5 | 10,3 |
| 280 | 60 | 100 | 60 | 60 | 2 x | 25,5 | 12 | 25,5 | 11,7 |
| 300 | 60 | 100 | 60 | 60 | 2 x | 24,5 | 14 | 24,5 | 12,7 |
| 315 | 65 | 105 | 60 | 60 | 2 x | 24,5 | 14 | 24,5 | 14,4 |
| 355 | 65 | 105 | 60 | 60 | 2 x | 24,5 | 14 | 24,5 | 15,3 |
| 400 | 70 | 110 | 65 | 65 | 1 x | 24,5 | 14 | 24,5 | 17,8 |
| 450 | 70 | 110 | 65 | 65 | 1 x | 24 | 15 | 24 | 23,0 |
| 500 | 75 | 120 | 75 | 75 | 1 x | 24 | 15 | 24 | 27,0 |
| 560 | 75 | 120 | 75 | 75 | 1 x | 24 | 15 | 24 | 33,0 |
| 630 | 75 | 120 | 75 | 75 | 1 x | 24 | 15 | 24 | 36,7 |

- = Vollscheibe / solid pulley
- o = Bodenscheibe (mit oder ohne Spiegel) / plate pulley (with or without holes)
- x = Armscheibe / arm pulley



Type 1

Type 2

Type 4


4 x SPB

$b_2 = 82 \text{ mm}$

Nabenscheibe / Full hub pulley

| Wirk. Ø pitch diameter dw | Max. Bohrung bore Ø | Nabe | | Type | S | T | U | Gewicht weight kg |
|---------------------------------------|------------------------------|----------|----------------------------------|------|------|----|------|-------------------------|
| | | hub Ø | Nabenlänge length of hub L | | | | | |
| 80 | 42 | | 50 | 4 ● | - | - | 32 | 2,5 |
| 90 | 42 | | 50 | 4 ● | - | - | 32 | 2,6 |
| 100 | 42 | - | 50 | 4 ● | - | - | 32 | 3,1 |
| 106 | 42 | - | 50 | 4 ● | - | - | 32 | 3,5 |
| 112 | 42 | - | 50 | 4 ● | - | - | 32 | 3,8 |
| 118 | 42 | - | 50 | 4 ● | - | - | 32 | 4,3 |
| 125 | 42 | - | 50 | 4 ● | - | - | 32 | 4,8 |
| 132 | 42 | - | 50 | 4 ● | - | - | 32 | 5,3 |
| 140 | 42 | - | 50 | 4 ● | - | - | 32 | 6,0 |
| 150 | 42 | - | 50 | 4 ● | - | - | 32 | 6,8 |
| 160 | 50 | 80 | 60 | 2 o | 35 | 12 | 35 | 6,5 |
| 170 | 50 | 80 | 60 | 2 o | 35 | 12 | 35 | 7,2 |
| 180 | 55 | 90 | 60 | 2 o | 35 | 12 | 35 | 7,7 |
| 190 | 55 | 90 | 60 | 2 o | 35 | 12 | 35 | 8,2 |
| 200 | 55 | 90 | 60 | 2 o | 35 | 12 | 35 | 8,9 |
| 212 | 60 | 100 | 60 | 2 o | 34,5 | 13 | 34,5 | 10,0 |
| 224 | 60 | 100 | 60 | 2 o | 34,5 | 13 | 34,5 | 10,6 |
| 236 | 60 | 100 | 60 | 2 o | 34,5 | 13 | 34,5 | 10,6 |
| 250 | 65 | 105 | 65 | 2 o | 34,5 | 13 | 34,5 | 13,1 |
| 280 | 65 | 105 | 65 | 2 o | 34 | 14 | 34 | 14,0 |
| 300 | 65 | 105 | 65 | 2 o | 34 | 14 | 34 | 15,2 |
| 315 | 70 | 110 | 65 | 2 o | 34 | 14 | 34 | 16,4 |
| 355 | 70 | 110 | 65 | 2 x | 34 | 14 | 34 | 17,9 |
| 400 | 75 | 120 | 75 | 2 x | 33,5 | 15 | 33,5 | 21,9 |
| 450 | 75 | 120 | 75 | 2 x | 33,5 | 15 | 33,5 | 26,8 |
| 500 | 75 | 125 | 85 | 1 x | 33,5 | 15 | 33,5 | 30,3 |
| 560 | 80 | 130 | 85 | 1 x | 33,5 | 15 | 33,5 | 37,9 |
| 630 | 80 | 130 | 90 | 1 x | 33,5 | 15 | 33,5 | 43,5 |

- = Vollscheibe / solid pulley
- o = Bodenscheibe (mit oder ohne Spiegel) / plate pulley (with or without holes)
- x = Armscheibe / arm pulley



Type 1

Type 2

Type 4


5 x SPB

$b_2 = 101 \text{ mm}$

Nabenscheibe / Full hub pulley

| Wirk. Ø pitch diameter dw | Max. Bohrung bore Ø | Nabe hub Ø | Nabenlänge length of hub L | | | | Gewicht weight kg | |
|---------------------------------------|------------------------------|------------------|----------------------------------|------|------|----|-------------------------|------|
| | | | | Type | S | T | | U |
| 112 | 42 | - | 50 | 4 ● | - | - | 51 | 4,4 |
| 118 | 42 | - | 50 | 4 ● | - | - | 51 | 4,8 |
| 125 | 42 | - | 50 | 4 ● | - | - | 51 | 5,4 |
| 132 | 42 | - | 50 | 4 ● | - | - | 51 | 5,9 |
| 140 | 48 | - | 60 | 4 ● | - | - | 41 | 7,2 |
| 150 | 48 | - | 60 | 4 ● | - | - | 41 | 8,3 |
| 160 | 55 | 90 | 60 | 2 o | 25 | 26 | 50 | 8,1 |
| 170 | 60 | 100 | 60 | 2 o | 25 | 26 | 50 | 9,4 |
| 180 | 60 | 100 | 70 | 2 o | 28 | 20 | 53 | 10,0 |
| 190 | 60 | 100 | 70 | 2 o | 25 | 26 | 50 | 10,7 |
| 200 | 60 | 100 | 70 | 2 o | 28 | 20 | 53 | 11,6 |
| 212 | 65 | 105 | 70 | 2 o | 25 | 26 | 50 | 13,4 |
| 224 | 65 | 105 | 70 | 2 o | 44 | 13 | 44 | 12,7 |
| 236 | 65 | 105 | 70 | 2 o | 44 | 13 | 44 | 15,5 |
| 250 | 75 | 120 | 75 | 2 o | 44 | 13 | 44 | 15,7 |
| 280 | 75 | 120 | 75 | 2 o | 43,5 | 14 | 43,5 | 17,2 |
| 300 | 75 | 120 | 75 | 2 x | 43,5 | 14 | 43,5 | 18,9 |
| 315 | 75 | 120 | 75 | 2 x | 43 | 15 | 43 | 20,6 |
| 355 | 75 | 120 | 75 | 2 x | 43 | 15 | 43 | 21,8 |
| 400 | 80 | 130 | 85 | 2 x | 43 | 15 | 43 | 28,0 |
| 450 | 80 | 130 | 85 | 2 x | 42,5 | 16 | 42,5 | 31,4 |
| 500 | 85 | 135 | 90 | 2 x | 42,5 | 16 | 42,5 | 37,5 |
| 560 | 85 | 140 | 90 | 2 x | 42,5 | 16 | 42,5 | 43,4 |
| 630 | 85 | 140 | 105 | 1 x | 42,5 | 16 | 42,5 | 53,6 |

- = Vollscheibe / solid pulley
- o = Bodenscheibe (mit oder ohne Spiegel) / plate pulley (with or without holes)
- x = Armscheibe / arm pulley



Type 2

Type 4

6 x SPB

$b_2 = 120 \text{ mm}$

Nabenscheibe / Full hub pulley

| Wirk. Ø pitch diameter dw | Max. Bohrung bore Ø | Nabe hub | | | | | Gewicht weight kg | |
|---------------------------------------|------------------------------|-------------|-----|------|----|----|-------------------------|------|
| | | Ø | L | Type | S | T | | U |
| 125 | 48 | - | 60 | 4 ● | - | - | 60 | 6,4 |
| 132 | 48 | - | 60 | 4 ● | - | - | 60 | 7,2 |
| 140 | 48 | - | 60 | 4 ● | - | - | 60 | 8,4 |
| 150 | 48 | - | 60 | 4 ● | - | - | 60 | 9,7 |
| 160 | 55 | - | 65 | 4 ● | - | - | 55 | 11,1 |
| 170 | 55 | - | 65 | 4 ● | - | - | 55 | 11,8 |
| 180 | 60 | - | 70 | 4 ● | - | - | 50 | 13,8 |
| 190 | 60 | - | 70 | 4 ● | - | - | 50 | 15,3 |
| 200 | 60 | - | 80 | 4 ● | - | - | 40 | 18,6 |
| 224 | 70 | 110 | 80 | 2 ○ | 52 | 16 | 52 | 15,3 |
| 236 | 70 | 110 | 80 | 2 ○ | 52 | 16 | 52 | 16,1 |
| 250 | 75 | 120 | 80 | 2 ○ | 52 | 16 | 52 | 18,5 |
| 280 | 75 | 120 | 100 | 2 ○ | 53 | 14 | 53 | 21,1 |
| 300 | 75 | 120 | 85 | 2 x | 51 | 18 | 51 | 23,5 |
| 315 | 75 | 125 | 90 | 2 x | 52 | 16 | 52 | 25,4 |
| 355 | 75 | 125 | 90 | 2 x | 51 | 18 | 51 | 31,2 |
| 400 | 85 | 135 | 100 | 2 x | 51 | 18 | 51 | 33,2 |
| 450 | 85 | 135 | 100 | 2 x | 51 | 18 | 51 | 38,8 |
| 500 | 85 | 140 | 105 | 2 x | 51 | 18 | 51 | 44,0 |
| 560 | 85 | 145 | 105 | 2 x | 51 | 18 | 51 | 51,3 |
| 630 | 85 | 145 | 115 | 2 x | 51 | 18 | 51 | 61,5 |

- = Vollscheibe / solid pulley
- = Bodenscheibe (mit oder ohne Spiegel) / plate pulley (with or without holes)
- x = Armscheibe / arm pulley